PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Teomology Conter 2600 Complete if Known **Application Number** 08/579,072 Filing Date December 22, 1995 First Named Inventor Adam S. Wyszynski Art Unit 2744 Examiner Name N. Maung

(use as many sheets as necessary)

of 3 Attorney Docket Number 49581-P006US-09604915

5	U.S. PATENT DOCUMENTS								
		0:1-	U.S. Patent Document		Name of Patentee or Applicant	Date of Publication of	Pages, Columns, Lines, Where Relevant		
Examiner Initials*		Cite No.1			of Cited Document	Cited Document MM-DD-YYYY	Passages or Relevant Figures Appear		
~		Α	4,581,643		Carlson	04-08-1986			
	1	В	4,726,072		Yamashita et al.	02-16-1988			
	Γ	С	4,742,566		Nordholt et al.	05-03-1988			
		D	4,979,230		Marz	12-18-1990			
	П	E	5,038,404		Marz	08-06-1991			
		F	5,060,297		Ma et al.	10-22-1991			
		G	5,140,198		Atherly et al.	08-18-1992			
		Н	5,200,826		Seong	04-06-1993			
		1	5,311,318		Dobrovolny	05-10-1994			
		J	5,321,852		Seong	06-14-1994			
		K	5,390,346		Marz	02-14-1995			
		L	5,428,836		Sanecki et al.	06-27-1995			
A		М	5,563,545		Scheinberg	10-08-1996			

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS					
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²				
3	N	Meyer, Robert G. "A 1-GHz BiCMOS RF Front-End IC." IEEE Journal of Solid-State Circuits; Vol. 29 No. 3 (March 1994): 350-355.					
1	0 :	Kinget, Peter and Michiel Steyaert. "A 1 GHz CMOS Upconversion Mixer". IEEE Custom Integrated Circuits Conference. (1996) 197-200.					
	Р	Crols, Jan, and Michel S. J. Steyaert. "A 1.5 GHz Highly Linear CMOS Downconversion Mixer." IEEE Journal of Solid-State Circuits. Vol. 30 No. 7 (July 1995). 736-742.					
	Q ,	Kuhn, William B., William Stephenson, and Aicha Elshabini-Riad. "A 200 MHz CMOS Q- Enhanced LC Bandpass Filter." IEEE Journal of Solid-State Circuits. Vol. 31 No. 8 (August 1996). 1112-1122.					
	R	Razavi, Behzad, Kwing F. Lee, Ran-Hong Yan, and Robert G. Swartz. "A 3-GHz 25-mW CMOS Phase-Locked Loop." 1994 Symposium on VLSI Circuits Digest of Technical Papers. (1994). 131-132.					
	S	McGinn, Mike. "An Advanced I.F. Amplifier & AFT System Suitable for HDTV." IEEE Transactions on Consumer Electronics. Vol. 36 No. 3 (August 1990) 407-414.					
	T	Okanobu, Taiwa, Hitoshi Tomiyama, and Hiroshi Arimoto. "Advanced Low Voltage Single Chip Radio IC." IEEE Transactions on Consumer Electronics . Vol. 38 No. 3. (August 1992) 465-475.					
	U	Crols, Jan, and Michiel Steyaert. "An Analog Integrated Polyphase Filter for a High." Performance Low-IF Receiver." 1995 Symposium on VLSI Circuits Digest Of Technical. Papers. (1995) 87-88.	1.7				
	٧	Anadigics, Inc. CATV/TV/CABLE MODEM UPCONVERTER MMIC. Warren NJ (April 22,5 1998).					
	8	Anadigics Inc. VHF/UHF CATV/TV Tuner Dowconverter. Warren, NJ. (April 22, 1998).					
	X	Anadigics, Inc. Anagics Technical Brief. Upconverter MMIC for CATV Preliminary. Warren, NJ. (January 11, 1994).					
	Υ	Racanelli, Marco et al. " RF BiCMOS Technology for Highly Integrated Wireless Systems." 1999 IEEE RFIC Symposium. (1999)					
	Z	Kimura, Katsuji. "A Bipolar Four-Quadrant Analog Quarter-Square Multiplier Consisting of Unbalanced Emitter-Coupled Pairs and Expansions of Its Input Ranges." IEEE Journal of Solid-State Circuits. Vol. 29 No. 1 (January 1994) 46-55.					
	AA	Archer, John, and John Granlund, and Robert E. Mauzy. "A Broad-Band UHF Mixer Exhibiting High Image Rejection over a Multidecade Baseband Frequency Range." IEEE					

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE ed to respond to a collection of information unless it contains a valid OMB control number.

2744

Complete if Known

December 22, 1995

Adam S. Wyszynski

08/579,072

Under the Paperwork Reduction Act of

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Substitute for form 1449B/PTO

Group Art Unit (use as many sheets as necessary)

Examiner Name N. Maung

Application Number

First Named Inventor

Filing Date

					LXamille Name	IV. Maury	_ 			
Sheet		2	of	3	Attorney Docket Number	49581-P006US-09604915	7			
>		Journal of	Solid-Stat	e Circuits. Vol. So	C-16 No. 4 (August 198	31) 385-392.	$\overline{}$			
-	AB						+			
	AB Boutin, Noel. "Complex Signals: Part 1" RF Featured Technology. (December 1989). AC "Double-balanced mixer and oscillator" Phillips Semiconductors. (November 7, 1997).						+			
1	AD									
	AE	Gilbert, Barrie. "Demystifying the Mixer" Analog Devices Inc. (April 1994). 1-58. Kuhn, William B. "Design of Monolithically Integrated Radio Transceivers" Kansas State								
1	1 ^-	University		oigh of Mononum	any integrated readio	Transcervers Transas State				
+	AF			Development of a	n Adjustment Free Aug	dio Tuner IC" IEEE Transactions	+			
i	/ "				3. (August 1996). 328-					
+-	AG					t for a Double Conversion Cable				
1	, ^\					Electronics. (June 1993). 108-				
1		109.	op raner	momational col	incremes on consumer	Electronico: (Guno Topo): Too				
╂───	AH		M et al "C	ouble Conversion	Tuner a Must for the	Future?" IEEE Transaction on				
J	~"'	Maier, G.M., et al. "Double Conversion Tuner a Must for the Future?" IEEE Transaction on Consumer Electronics, Vol. 38, No. 3. (August 1992). 384-388.								
╂──	AI					nts in CATV Applications." NCTA	_			
1	^'			992). 200-206.	Bandwidth Nequiremen	its in CATV Applications. NCTA	٠			
 	AJ				undomentals of Active	Mixers" Applied Microwave and				
1	^3		(1995). 10·		didamentals of Active	wixers Applied Microwave and				
 	AK				on Broad Bond TV Tur	ner with GaAs ICs." GaAs IC	-			
l	An			al Digest. (1984).		ici willi Gams ICS. Gams IC				
						tor Mixer for CATV Converters."				
1	AL			echnical Digest. (tor Mixer for CATV Converters.				
₩						Band Single Side Band				
1	AM									
1	į				converter. GaAs Symp	posium Technical Digest				
			1989) 189-			".EEE T .:				
1	AN					ner" IEEE Transactions on				
		Electron L	Devides, Vo	ol ED-27, No. 6. (June 1980). 1156-1159).				
1	AO				Mixer with Very Low In					
			ons on Mici	rowave Theory ar	id Techniques, Vol. MT	T-35, No. 4. (April 1987). 425-				
1		429.								
1	AP	Pratt, William J. "High Linearity HBT Amplifier Targets Multicarrier Systems" RF Design.								
			96). 47-54							
	AQ					RF Design. (April 1995). 60-65.				
- 1	AR	Leffel, Michael. "Intermodulation Distortion in a Multi-Signal Environment" RF Design (June								
		1995). 78								
- 1	AS					r Transistor Integrated-Circuit				
						. 4. (August 1986), 534-537.				
- 1	AT					nplifier and Synchronous				
						oration. (March 1985). 1-16.				
1	AÜ					lixers." IEEE Transactions on 🍶				
		Consume	r Electronic	s., Vol. 45, No. 2	(May 1999). 299- 309.					
	AV	Otaka, Sh	oji, et al. "A	Low Local Input	Power 1.9 GHz Si-Bip	olar Quadrature Modulator				
j		without Ar	ny Adjustm	ent." Bipolar/BiC	MOS Circuits and Tech	nnology Meetingີ່. (1994): 171-ັ້				
- 1		174.				L'S 2				
	AW	Gilbert, Ba	arrie. "The	MICROMIXER: A	highly Linear Variant of	of the Gilbert Mixer using a	T			
1						ate Circuits, Vol. 32, No. 9,				
j		(Septemb	er 1997). 1	412-1423.						
	AX				As Double Conversion	TV Tuner System with 70 db	一			
1					Symposium Digest of P					
	AY					ransactions on Consumer	\top			
1	' ' '			26. (May 1980). 1			-			
	AZ	Altes Ste	phen K et	al. "Monolithic Ro	C All-Pass Networks w	ith Constant-Phase -Difference	+			
1	-					niques, Vol. MTT-34, No. 12.	1			
ł			er 1986). 1							
Ja	BA				Hz Linear Miyer Motor	rola, Inc. Issue 2. (1996). 1-8.				
_ _		1,410,10,140	Jida LOW	· 91101 DO-2.4 G	THE ENTERN WINET. WICKUI	014, 110. 13346 Z. (1330). 1-0.	Ŀ			

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Auros 1995, no persons were required to respond to a collection of information unless it contains a valid OMB control

			3.5	TA TRANSAM		numbe	r.
Substitute for form 1449B/PTO					Complete if Known		
					Application Number	08/579,072	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)					Filing Date	December 22, 1995	
					First Named Inventor	Adam S. Wyszynski	
					Group Art Unit	2744	
					Examiner Name	N. Maung	<u>. </u>
Sheet		3 of 3		Attorney Docket Number 49581-P006US-09604915		1/2	
9-	BB HP 8561A and HP 8562A/B Portable Spectrum Analyzers. Hewlett-Packard. (July 1989)						
1	BC MC44302: Advanced Multi-Standard TV Video/Sound IF. Motorola, Inc. (June 17, 1994)						-
BD "NCTA Reccomended Practices for Measurements on Cable Television Systems." National							
Cable Television Association. 2nd Ed. (1993). 1-13							
T	BE	Maier, Gerd M. "New System Approach to TV Tuner Design." IEEE Transactions on Consumer Electronics, Vol. 36, No. 3. (August 1990). 403-406.					

9-	BB	HP 8561A and HP 8562A/B Portable Spectrum Analyzers. Hewlett-Packard. (July 1989)	7				
	BC	MC44302: Advanced Multi-Standard TV Video/Sound IF. Motorola, Inc. (June 17, 1994)	T K				
	BD	"NCTA Reccomended Practices for Measurements on Cable Television Systems." National					
1		Cable Television Association. 2nd Ed. (1993). 1-13					
	BE	Maier, Gerd M. "New System Approach to TV Tuner Design." IEEE Transactions on					
1		Consumer Electronics, Vol. 36, No. 3. (August 1990). 403-406.					
	BF	Charbon, Edoardo, et al. "A Performance-Driven Routeer for RF and Microwave Analog					
l l		Circuit Design." Department of Electrical Engineering and Computer Sciences, University of					
		California, Berkeley.	i				
	BG	Koullias, Iconomos, A., et al. "A 900MHz Transceiver Chip Set for Dual-Mode Cellular Mobile					
1		Terminals." IEEE International Solid-State Circuits Conference. (1993). 140-141.	1				
	BH	McDonald, Mark D. "A 2.5GHz BiCMOS Image-Reject Front-End" IEEE International Solid-					
		State Circuits Conference. (1993). 144-145.					
į.	BI	Lovelace, David, et al. "Silicon Upconverter RF IC Simplifies Cable Modem Designs"					
		Microwaves & RF (March 1997). 136-142.					
1	BJ	Lovelace, David, et al. "Innovative Simulator Models Silicon Upconverter RF IC" Microwaves					
		& RF. (April 1997). 106-109.					
1	BK	Farmer, James O. "Specifications for Tuner Design for use in Cable Ready Television					
- 1		Receivers and VCRs." IEEE Transactions on Consumer Electronics, Vol. 36, No. 3,. (August					
		1990). 660-668.					
1	BL	Abidi, Asad A. "Direct-Conversion Radio Transceivers for Digital Communications." IEEE					
		International Solid-State Circuits Conference. (1995). 186-187; 363-364.					
- 1	ВМ	Kokozinski, Rainer, et al. " Microwave Wideband Amplifiers In Bulk-CMOS/SIMOX					
1	1	Technologies." IEEE International Solid-State Circuits Conference. (1995). 146-147; 188-	I				
_	L	189.	Ш				
1	BN	Kimura, Katsuji. "The Ultra-Multi-Tanh Technique for Bipolar Linear Transconductance					
1		Amplifiers." IEEE Transactions on Circuits and Systems -1: Fundamental Theory and					
	<u> </u>	Applications. Vol. 44, No. 4. (April 1997). 288-302.					
1	ВО	Al-Hashimi, Bashir. "Understand the Fundamentals of Passive Video Filters." Microwaves &					
·		RF. (May 1996). 171-178.					
- 1	BP	Long, John R., et al. "A Low-Voltage Silicon Bipolar RF Front -End for PCN Receiver					
-	<u> </u>	Applications." IEEE International Solid-State Circuits Conference. (1995). 104-105; 140-141.					
J	BQ	Sabin, William E. & Edgar O. Schoenike. "Single -Sideband Systems & Circuits." McGraw Hill					
74	1	Book Company. New York. (1987). 88-134, 181-213.	 				

Examiner	M / / A /	• Date	11.11.
		i	: 4 5/14/02
Signature		Considered	C. 1. 1. 1. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

*Unique citation designation number. *Applicant is to place a check mark here if English language Translation is attached **2.5.**

Description

**Description